

Message

From: Holmes, Jean [Holmes.Jean@epa.gov]
Sent: 11/25/2020 3:29:04 PM
To: Corbin, Mark [Corbin.Mark@epa.gov]; Spatz, Dana [Spatz.Dana@epa.gov]; Blankinship, Amy [Blankinship.Amy@epa.gov]; Anderson, Brian [Anderson.Brian@epa.gov]; Sankula, Sujatha [Sankula.Sujatha@epa.gov]; Housenger, Justin [Housenger.Justin@epa.gov]
Subject: RE: incorporation

Yes,
There is an option for the triangle method (talking with Josh now). I believe that we should include any drinking water assessment using the triangle method guidance which came out June 2019. It is not the new PWC.

Jean

From: Corbin, Mark <Corbin.Mark@epa.gov>
Sent: Wednesday, November 25, 2020 10:27 AM
To: Spatz, Dana <Spatz.Dana@epa.gov>; Blankinship, Amy <Blankinship.Amy@epa.gov>; Anderson, Brian <Anderson.Brian@epa.gov>; Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Holmes, Jean <Holmes.Jean@epa.gov>; Housenger, Justin <Housenger.Justin@epa.gov>
Subject: RE: incorporation

I thought the precursor version had the option to pick the triangle method, but it wasn't the default and not everyone used it?

From: Spatz, Dana <Spatz.Dana@epa.gov>
Sent: Wednesday, November 25, 2020 10:23 AM
To: Blankinship, Amy <Blankinship.Amy@epa.gov>; Anderson, Brian <Anderson.Brian@epa.gov>; Corbin, Mark <Corbin.Mark@epa.gov>; Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Holmes, Jean <Holmes.Jean@epa.gov>; Housenger, Justin <Housenger.Justin@epa.gov>
Subject: RE: incorporation

If the question is about using the new extraction zone, that would not have happened until the new version of PWC (2.0?), not by way of the June 2019 guidance. Right?

Dana Spatz | Branch Chief
Environmental Risk Branch 3
Environmental Fate and Effects Division
Office of Pesticide Programs

From: Blankinship, Amy <Blankinship.Amy@epa.gov>
Sent: Wednesday, November 25, 2020 9:07 AM
To: Anderson, Brian <Anderson.Brian@epa.gov>; Corbin, Mark <Corbin.Mark@epa.gov>; Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Spatz, Dana <Spatz.Dana@epa.gov>; Holmes, Jean <Holmes.Jean@epa.gov>; Housenger, Justin <Housenger.Justin@epa.gov>
Subject: RE: incorporation

I didn't get a definitive sense of timing. She is having a call with the registrant today and it is a point they have raised (the reg review ID signed in 2017 assumed no runoff, this new action does). So she might ping us today before that call to be honest. But a more complete respond, yes, early next week sounds good.

From: Anderson, Brian <Anderson.Brian@epa.gov>

Sent: Wednesday, November 25, 2020 9:02 AM

To: Corbin, Mark <Corbin.Mark@epa.gov>; Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Blankinship, Amy <Blankinship.Amy@epa.gov>; Spatz, Dana <Spatz.Dana@epa.gov>; Holmes, Jean <Holmes.Jean@epa.gov>; Housenger, Justin <Housenger.Justin@epa.gov>

Subject: RE: incorporation

Alex asked for this when we briefed her on Aldicarb. Amy, did you get a sense of timing?

Maybe by earlyish next week? doesn't have to be exhaustive.

From: Corbin, Mark <Corbin.Mark@epa.gov>

Sent: Wednesday, November 25, 2020 8:46 AM

To: Anderson, Brian <Anderson.Brian@epa.gov>; Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Blankinship, Amy <Blankinship.Amy@epa.gov>; Spatz, Dana <Spatz.Dana@epa.gov>; Holmes, Jean <Holmes.Jean@epa.gov>; Housenger, Justin <Housenger.Justin@epa.gov>

Subject: RE: incorporation

How soon you need this?

From: Anderson, Brian <Anderson.Brian@epa.gov>

Sent: Wednesday, November 25, 2020 8:32 AM

To: Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Blankinship, Amy <Blankinship.Amy@epa.gov>; Spatz, Dana <Spatz.Dana@epa.gov>; Holmes, Jean <Holmes.Jean@epa.gov>; Housenger, Justin <Housenger.Justin@epa.gov>; Corbin, Mark <Corbin.Mark@epa.gov>

Subject: incorporation

Hey Team,

We need a list of drinking water assessments where we used the new PWC, which assumed that you get runoff below 2 cm, for incorporated use patterns (in furrow or whatever).

Can you guys please send me the names of pesticides for any that you can think of off the top of your head? It doesn't need to be exhaustive, but we just need to show that we are assuming that runoff occurs with incorporation routinely.

Thanks

Brian